MANUFACTURING

FORGING · FABRICATION · CUSTOM MANUFACTURING

SINCE 1983

COLUMBIANA, OHIO

American Tools
Made by American Hands

TOOL & MANUFACTURING CATALOG

Find the right tool for your job
Custom work for your needs

TOOLS, PARTS AND CUSTOM WORK

Find what you need

Prying & connecting bars 03
Slate, Peerless and connecting bars

Alignment & crow bars 04
Pinch chisel, crow and warehouse bars

Contractor & stripping bars 05
Contractor, double claw, utility and stripping bars

Wrecking & rolling-head tools 06
Gooseneck wrecking bars and rolling heads

Nail pullers & ripping tools 07
Die bars, molding lifter, nail pullers and ripping tools

Digging & ground-work bars 08
San Angelo, post-hole, telegraph and timber bars

Surveying & soil tools 09
Pins, GADs, probes and tampers

Manhole cover tools 10
Diamond point, chisel point and kink options

Brass rods & tips 11
Blunt, pointed, bent and flat-tip versions

Custom test spoons & bowls 12
Size, shape, length, material and pouring spouts

Custom manufacturing & your brand 13
Parts, finishes, labeling and order help

Part-number index 14
Find any of the 124 catalog part numbers

Click a section above to jump to its page. Click a part number in the index to find its listing.

All dimensions use inches, shown as 18". Weights are in pounds (lb).
Compare the full part number, steel profile and length when choosing a tool.

FORGED TOOLS

Prying & Connecting Bars

Compare sizes and weights, then tell us the quantities you need

Slate bars

Diamond point at one end and bent chisel at the other

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
0SLB	1" hex	36"	9.0 lb
1SLB	1" hex	48"	11.0 lb
2SLB	1" hex	54"	12.0 lb
3SLB	1" hex	60"	14.0 lb
4SLB	1" hex	72"	17.0 lb



Slate bar examples

Peerless bars

Short pencil point

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
PB	1" hex	36"	10.0 lb
0PB	1" hex	48"	12.0 lb
1PB	1" hex	60"	15.0 lb
2PB	1" hex	72"	18.0 lb

Connecting pry bars

1-1/4" chisel and short pencil point

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
0CPB	1" hex	36"	9.0 lb
1CPB	1" hex	48"	11.0 lb
2CPB	1" hex	60"	14.0 lb
3CPB	1" hex	72"	17.0 lb

Connecting bar

1-1/8" chisel and long pencil point

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1CNB	7/8" hex	30"	5.0 lb

FIND YOUR FIT

Alignment & Crow Bars

Keep the part number with your quote, especially where steel sizes vary

Pinch chisel line-up bars

Long pencil point - sizes ordered from shortest to longest

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1PCL	1/2" hex	13"	0.8 lb
2PCL	5/8" hex	18"	1.7 lb
3-20PCL	3/4" hex	20"	2.3 lb
3PCL	3/4" hex	24"	2.8 lb
3-30PCL	3/4" hex	30"	3.5 lb
4PCL	7/8" hex	30"	5.0 lb
3-36PLC	3/4" hex	36"	4.2 lb
6-36PCL	1" hex	36"	8.5 lb
5PCL	7/8" hex	42"	7.0 lb
6PCL	1" hex	48"	11.3 lb
6-54PCL	1" hex	54"	12.7 lb
7PCL	1" hex	60"	14.0 lb

Crow & warehouse bars

PART NUMBER	STYLE	STEEL / PROFILE	LENGTH	WEIGHT
3PPC	Pinch-point crow bar	1-1/8" RCSQ	51"	12.0 lb
3WPC	Wedge-point crow bar	1-1/8" RCSQ	51"	12.0 lb
1WLB	Warehouse / pinch point	1-1/8" RCSQ	51"	12.0 lb
4PPC	Pinch-point crow bar	1-1/4" RCSQ	60"	18.0 lb
4WPC	Wedge-point crow bar	1-1/4" RCSQ	60"	18.0 lb
2WLB	Warehouse / pinch point	1-1/4" RCSQ	60"	18.0 lb

TOOLS FOR YOUR JOB

Contractor & Stripping Bars

Contractor bars

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1CB	3/4" hex	18"	3.0 lb
2CB	3/4" hex	24"	3.8 lb
3CB	3/4" hex	30"	4.7 lb
4CB	3/4" hex	36"	5.5 lb

Double claw carpenter bars

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1DC	3/4" hex	24"	3.8 lb
2DC	3/4" hex	30"	4.7 lb
3DC	3/4" hex	36"	5.5 lb

Utility bars

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1UB	1/4" x 1-3/8" flat	13"	1.4 lb
2UB	1/4" x 1-3/8" flat	15"	1.5 lb
3UB	1/4" x 1-3/8" flat	21"	2.1 lb



Utility bar

Stripping bars with claw

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1SBC	7/8" hex	42"	8.0 lb
2SBC	1" hex	48"	13.0 lb

Stripping bars without claw

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1SBN	7/8" hex	42"	8.0 lb
2SBN	1" hex	48"	13.0 lb

COMPARE STEEL SIZE AND REACH

Wrecking & Rolling-Head Tools

Gooseneck wrecking bars

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1WB	9/16" hex	12"	1.2 lb
2WB	5/8" hex	18"	1.9 lb
3WB	3/4" hex	24"	3.8 lb
4WB	3/4" hex	30"	4.7 lb
5WB	3/4" hex	36"	5.5 lb
6WB	7/8" hex	36"	7.0 lb
7WB	7/8" hex	42"	8.0 lb
8WB	1" hex	48"	13.0 lb
9WB	1" hex	60"	16.0 lb



3WB - 24-inch wrecking bar

Rolling heads

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1RH	3/8" round	9"	0.3 lb
2RH	1/2" round	15"	0.8 lb
3RH	5/8" round	18"	1.3 lb
4RH	3/4" round	24"	3.0 lb

Matching an existing tool? Send us photos of both ends, the steel size and the length you need. We can work through the details together.

SMALLER TOOLS, CLEAR SPECIFICATIONS

Nail Pullers & Ripping Tools

Die & setter bars

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
DSB18	5/8" hex	18"	1.8 lb
DSB30	3/4" hex	30"	4.0 lb

Molding lifter

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1ML	9/16" hex	10-1/2"	0.9 lb

Nail pullers

PART NUMBER	STYLE	STEEL / PROFILE	LENGTH	WEIGHT
1NP	Single end	5/8" hex	10-1/2"	1.0 lb
2NP	Double end	5/8" hex	11"	1.1 lb
3NP	Combination end	5/8" hex	15"	1.5 lb



Double End Nail Puller



Combination End Nail Puller

Ripping tools

PART NUMBER	STYLE	STEEL / PROFILE	LENGTH	WEIGHT
1RC	Straight ripping chisel	3/4" hex	18"	2.4 lb
2RC	Offset ripping chisel	3/4" hex	17"	2.6 lb
3RC	Nail claw	5/8" hex	12"	1.0 lb

One tool or a multi-part order: call 330-482-2636 or email jhmfgllc@comcast.net. We can help you choose what you need.

CHOOSE YOUR WORKING END

Digging & Ground-Work Bars

San Angelo bars

PART NUMBER	POINT	STEEL / PROFILE	LENGTH	WEIGHT
0SAD	Diamond point	1" hex	48"	11.0 lb
1SAD	Diamond point	1" hex	60"	14.0 lb
1SAP	Pencil point	1" hex	60"	14.0 lb
2SAD	Diamond point	1" hex	72"	17.0 lb
2SAP	Pencil point	1" hex	72"	17.0 lb
3SAD	Diamond point	1" hex	84"	20.0 lb
3SAP	Pencil point	1" hex	84"	20.0 lb

Post-hole digging bars

Regular duty

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
3PHD	1" round	48"	11.0 lb
4PHD	1" round	72"	16.0 lb

Telegraph digging bars

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1TBD	1" hex	72"	17.0 lb
2TBD	1" hex	96"	22.0 lb

Timber bars

Diamond point

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1TB-PD	1" hex	36"	9.0 lb
2TB-PD	1" hex	48"	11.0 lb
3TB-PD	1" hex	60"	14.0 lb

Trac bar

PART NUMBER	STEEL / PROFILE	LENGTH	WEIGHT
1TB	1" hex	60"	14.0 lb

STANDARD TOOLS AND CUSTOM SIZES

Surveying & Soil Tools

Surveying pins

PART NUMBER	APPLICATION	STEEL / PROFILE	LENGTH	WEIGHT
JH-FP16	Button pin / soft soil	1" round	16"	3.5 lb
JH-FP18	Frost pin / frozen soil	1" round	18"	4.0 lb
JH-GD18	GAD / frozen soil	3/4" x 1-1/2" rectangular	18"	5.0 lb



Frost pins



GADs

Custom frost pins and GADs: different steel sizes, diameters and lengths are available upon request for softer-soil surveying. Tell us the dimensions and quantities you need for a quote.

Welded soil probes with grips

Uninsulated - listed overall length shown below

PART NUMBER	PROBE SIZE	HANDLE	OVERALL LENGTH	WEIGHT
SP-12-36	3/8"	7/8" round x 12"	36"	3.1 lb
SP-12-48	3/8"	7/8" round x 12"	48"	3.5 lb
SP-12-60	3/8"	7/8" round x 12"	60"	3.9 lb
SP-12-72	3/8"	7/8" round x 12"	72"	4.3 lb



Uninsulated soil probe

Steel soil tampers

PART NUMBER	BASE THICKNESS	BASE SIZE	HEIGHT	WEIGHT
1DTB	1/2"	8" x 8"	52"	18.0 lb
2DTB	1/2"	10" x 10"	52"	24.0 lb

WATERWORKS AND MUNICIPAL WORK

Manhole Cover Tools

Diamond point, chisel point and custom points available - lengths from 24" to 36"

Diamond point

PART NUMBER	BEND	HEX STEEL	LENGTH	WEIGHT
MH24-90	90-degree	5/8" hex	24"	3.5 lb
MH24-IN-L	Inline	5/8" hex	24"	3.5 lb
MH26-90	90-degree	5/8" hex	26"	3.8 lb
MH34-26-90	90-degree	3/4" hex	26"	5.5 lb
MH26-IN-L	Inline	5/8" hex	26"	3.8 lb
MH34-26-IN-L	Inline	3/4" hex	26"	5.5 lb
MH30-90	90-degree	5/8" hex	30"	4.3 lb
MH30-IN-L	Inline	5/8" hex	30"	4.3 lb
MH32-90	90-degree	5/8" hex	32"	4.5 lb
MH32-IN-L	Inline	5/8" hex	32"	4.5 lb
MH36-90	90-degree	5/8" hex	36"	5.2 lb
MH36-IN-L	Inline	5/8" hex	36"	5.2 lb
MH-34-36-IN-L	Inline	3/4" hex	36"	6.4 lb
MH-34-36-90	90-degree	3/4" hex	36"	6.4 lb



Manhole cover tools

Chisel point

PART NUMBER	BEND	HEX STEEL	LENGTH	WEIGHT
MHCP32-90	90-degree	5/8" hex	32"	4.5 lb
MHCP32-IN-L	Inline	5/8" hex	32"	4.5 lb

Kink options

PART NUMBER	BEND	HEX STEEL	LENGTH	WEIGHT
MH24-IN-L-KINK	Inline / kink	5/8" hex	24"	3.5 lb
MH32-90-KINK	90-degree / kink	5/8" hex	32"	4.5 lb
MH36-IN-L-KINK	Inline / kink	5/8" hex	36"	5.2 lb

Diamond points and chisel points are available on any bar size or configuration. Custom points are also available. Include the full part number, including KINK where shown, when requesting a standard catalog item.

CHOOSE DIAMETER AND TIP STYLE

Brass Rods & Tips

PART NUMBER	TIP STYLE	DIAMETER	OVERALL LENGTH	WEIGHT
1BRT	Blunt	1/8"	13-3/4"	0.2 lb
2BRT	Pointed	1/8"	13-3/4"	0.2 lb
3BRT	90-degree pointed	1/8"	11-3/4"	0.2 lb
4BRT	Blunt	3/16"	13-3/4"	0.3 lb
5BRT	Pointed	3/16"	13-3/4"	0.3 lb
6BRT	90-degree pointed	3/16"	11-3/4"	0.3 lb
7BRT	Blunt	1/4"	13-3/4"	0.4 lb
8BRT	Pointed	1/4"	13-3/4"	0.4 lb
9BRT	90-degree pointed	1/4"	11-3/4"	0.4 lb
10BRT	Blunt	3/8"	13-3/4"	0.6 lb
11BRT	Pointed	3/8"	13-3/4"	0.6 lb
12BRT	90-degree pointed	3/8"	11-3/4"	0.6 lb
13BRSD	Flat-tip screwdriver	3/8"	13-3/4"	0.6 lb

MATCH THE WHOLE TOOL

Diameter, length and tip style

Use all three details when choosing or replacing a brass tool. Send us the complete part number when you know it, or show us a sample and tell us what you need.

Not sure which version you need? Call or email us and we can go through the options together.

MADE FOR YOUR SAMPLING PROCESS

Test Spoons & Bowls



We make disposable, single-use test spoons and bowls for molten-metal sampling. Steel and other metals are available upon request. Any bowl size or handle length is possible - we can tailor-make a test bowl for your specific application.

SIZE & SHAPE

Tell us the bowl opening, depth, shape and sample volume you need. Let us know if you need a spout for pouring.

LENGTH & ASSEMBLY

Choose bowls supplied separately or spoons with welded handles. Include handle length, size and attachment details.

MATERIAL & GRADE

Tell us the steel grade required, or the material and grade if using another metal. Include the metal you are sampling.

Request a custom spoon quote: include size, shape, length, material grade, quantity and a drawing or sample if available.

WORK WITH THE PEOPLE MAKING YOUR TOOLS

Your Plans, Our Manufacturing

Custom manufacturing & fabricating

Bring us a technical drawing if available or a physical sample. We offer open and closed die forging, trimming, bending, welding, machining, threading, grinding, prepping and painting. We can work together toward an approved drawing, a finished part and the quantities you need.

Your brand, finishes & packaging

Allow us to put your brand on a tool. Tell us your product specifications, finishes, labeling and packaging needs. We have many colors available, from yellows to blues and everything in between.

One item or many different parts

Send one request for the whole order. List the tools or part numbers you know and the quantity of each. Include custom parts, drawing references and any changes you need. We will go through pricing, availability and delivery with you.

Not sure what you need? We can help

You do not need exact part numbers, dimensions or quantities to get started. Tell us how to reach you and what you need help with. Let us know whether you prefer a phone call or email and a good time to contact you.

Call 330-482-2636 | Email jhmfgllc@comcast.net
Monday-Thursday, 6:00 am-4:30 pm Eastern

124 CATALOG ITEMS

Find Your Part Number

Find the page for each part number

PART NUMBER	PAGE
0CPB	03
0PB	03
0SAD	08
0SLB	03
1BRT	11
1CB	05
1CNB	03
1CPB	03
1DC	05
1DTB	09
1ML	07
1NP	07
1PB	03
1PCL	04
1RC	07
1RH	06
1SAD	08
1SAP	08
1SBC	05
1SBN	05
1SLB	03
1TB	08
1TB-PD	08
1TBD	08
1UB	05
1WB	06
1WLB	04
2BRT	11
2CB	05
2CPB	03
2DC	05
2DTB	09
2NP	07
2PB	03
2PCL	04
2RC	07
2RH	06
2SAD	08
2SAP	08
2SBC	05
2SBN	05
2SLB	03

PART NUMBER	PAGE
2TB-PD	08
2TBD	08
2UB	05
2WB	06
2WLB	04
3-20PCL	04
3-30PCL	04
3-36PLC	04
3BRT	11
3CB	05
3CPB	03
3DC	05
3NP	07
3PCL	04
3PHD	08
3PPC	04
3RC	07
3RH	06
3SAD	08
3SAP	08
3SLB	03
3TB-PD	08
3UB	05
3WB	06
3WPC	04
4BRT	11
4CB	05
4PCL	04
4PHD	08
4PPC	04
4RH	06
4SLB	03
4WB	06
4WPC	04
5BRT	11
5PCL	04
5WB	06
6-36PCL	04
6-54PCL	04
6BRT	11
6PCL	04
6WB	06

PART NUMBER	PAGE
7BRT	11
7PCL	04
7WB	06
8BRT	11
8WB	06
9BRT	11
9WB	06
10BRT	11
11BRT	11
12BRT	11
13BRSD	11
DSB18	07
DSB30	07
JH-FP16	09
JH-FP18	09
JH-GD18	09
MH24-90	10
MH24-IN-L	10
MH24-IN-L-KINK	10
MH26-90	10
MH26-IN-L	10
MH30-90	10
MH30-IN-L	10
MH32-90	10
MH32-90-KINK	10
MH32-IN-L	10
MH34-26-90	10
MH34-26-IN-L	10
MH36-90	10
MH36-IN-L	10
MH36-IN-L-KINK	10
MH-34-36-90	10
MH-34-36-IN-L	10
MHCP32-90	10
MHCP32-IN-L	10
PB	03
SP-12-36	09
SP-12-48	09
SP-12-60	09
SP-12-72	09

THE PEOPLE BEHIND THE TOOLS

Tell Us What You Need Made

One tool, a small order or many different parts, we are here to help

330-482-2636

jhmfgllc@comcast.net

jhmfgllc.com

J&H MANUFACTURING LLC
1652 Columbiana-Lisbon Road
Columbiana, Ohio 44408

Monday-Thursday
6:00 am-4:30 pm Eastern

Contact us for all your needs